

Project Overview

Amy Iezzoni Project Director & Tart Cherry Breeder www.rosbreed.org



United States Department of Agriculture National Institute of Food and Agriculture

The <u>Ros</u>aceae family of horticultural crops.

POME FRUIT STONE FRUIT

BERRIES (some)

rose

ROSBREED Enabling marker-assisted breeding in Rosaceae

www.rosbreed.org





Imagine.....

ultra-crisp tasty apples, sweet peaches that do not get mealy, flavorful cherries and strawberries, consistently available from your local grocery store.

These are the kinds of fruits that our RosBREED project can help develop using new genetics and genomics technologies.

Honeycrisp: a breakthrough cultivar

- Honeycrisp apple introduced
 1991 by the Univ of Minn.
- Dramatic attention and U.S. market share this decade.
- An ultra-crisp juicy texture and pleasing flavor
- Required 30 years from crossing to commercialization.



Tree Fruit Breeding

Disadvantages:

- Time consuming (3-20 yrs/generation)
- Large land areas needed for testing
- Field maintenance is expensive (equipment, labor, chemicals)



The power of marker-assisted breeding is to move selection from the field......to the greenhouse.



- Only elite individuals are planted in the field for further evaluation.
- Plus, with genetic information, parents can be chosen based on robust knowledge of what traits they will transmit to their offspring.

RosBREED Mission Statement

We will develop and apply marker-assisted breeding, based on improved knowledge of industry values and consumer preferences, to accelerate and increase the efficiency of rosaceous cultivar release and successful cultivar adoption.

Why now?







Image courtesy of NSF

Apple, peach & diploid strawberry genome sequences will be available in 2010



Images courtesy of www.beakandskiff.com, www.ehow.com, Jim Hancock

There are over 250 marker-trait associations known in rosaceous crops and just a handful are being used to inform breeding.

Examples of known marker-trait associations.

- DNA markers for the self-fertility alleles in cherry and almond
- DNA marker for the major ethylene gene influencing apple texture





THE CHASM

Marker-trait

Genomics Research

Trait low priority Different germplasm Unknown functional alleles Weak linkage Unknown genetic action Unknown environ. effects Unknown linkage drag No local genotyping Not cost efficient No training in MAB

MAB routine use

Breeding Programs

RosBREED bridges this chasm

Genomics Resources

Genomics Research

Genomics knowledge Marker assisted breeding Breeding

Programs

More efficient development of new cultivars

BRIDGING THE CHASM



RosEXEC: U.S. Rosaceae Genomics, Genetics, & Breeding Executive Committee Required <u>lots</u> of: STAKEHOLDER INVOLVEMENT IDEAS PLANNING



The Rosaceae Specialty Crops Planning Workshop (22-23 June 2007)

RosBREED Demonstration Breeding Programs

Washington State Univ. Kate Evans Ksenija Gasic

Clemson Univ.

Univ. of Ca Davis Tom Gradziel

Univ. of Minn Jim Luby

Rosaceae

Cornell Univ. Susan Brown

Washington State Univ. Nnadozie Oraguzie

Michigan State Univ. Jim Hancock

USDA-ARS, Corvallis Chad Finn

Univ. of New Hampshire Tom Davis Texas A&M Dave Byrne


Univ. of Arkansas John Clark

> Michigan State Univ. Amy lezzoni


<u>IMPACT</u>: Focus on fruit quality: Demand from consumers and processors for premium cultivars.



NATIONAL IMPACT: Breeders working in all major U.S. production areas for apples, peaches, and cherries are RosBREED Co-PDs.




RosBREED Organization



RosBREEDs International Partners.



Plant Research Intl., NL East Malling Research, UK INRA – Bordeaux, Avignon & Angers CRA-FRU Rome Andres Bello University, Chile University of the Western Cape, SA Plant & Food Research, NZ



www.rosbreed.org

Why should we all work together?


RosBREED is rooted in our vision that the common ancestry of the diverse rosaceaous genera can be harnessed to leverage knowledge and resources across commodity boundaries.

Proof of concept: Red pigmentation in apple and cherry fruit.





The same gene responsible for red color in apple is thought to be responsible for red color in cherry.



ROSBREED Enabling marker-assisted breeding in Rosaceae




Why should we all work together? Common challenges.

- 1. Heterozygosity
- 2. Polyploidy (4x and 8x)
- 3. Long generation time





Pedigrees of apple breeding populations



RosBREED OBJECTIVES

- 1) Use knowledge of trait values to enhance new cultivar adoption, enlarge market potential, and increase consumption.
- 2) Establish sustainable infrastructure for markerassisted breeding (MAB).
- 3) Integrate breeding and genomics information.
- 4) Conduct MAB in core breeding programs.
- 5) Enhance sustainability of cultivar development through stakeholder education.





Project Goals: Extension

- RosBREED demonstration breeders and project associates are being be trained to optimize utilization of marker-assisted breeding (MAB) and knowledge of trait values.
- Successful adoption of MAB will be enhanced by crosscommunication and cross-disciplinary collaboration with allied scientists.
- Stakeholders will appreciate how the use of genomics information can be harnessed to develop new varieties that meet market needs and consumer preferences.





Trait Impact: Focus on fruit quality

Target trait selection: utilize improved knowledge of industry value & consumer preferences.

Are red fleshed peaches & nectarines high priority breeding targets? Would this fruit type have value in the marketplace? What is the economic weight for this fruit color trait?



Photos courtesy of Dr. Byrne (nectarine & peach)

Trait and Market Class Breeding Target Establishment

Use knowledge of trait values & preferences from

producers, processors, & consumers


to prioritize breeder targets so that new cultivars will be more quickly accepted and have an enhanced commercial and consumer impact.





Pedigree Based Analysis

Pedigree, trait, and genotypic information for six apple seedlings, identifying a marker-trait association for skin blush on apple chromosome 9.



MAB Pipeline Implementation

- Put MAB Pipeline into practice
- Demonstrate MAB with high-impact targets
- Achieve routine MAB by core breeding programs
- Technology transfer to all interested U.S. Rosaceae breeders



RosBREED demonstration breeders and project associates are being be trained to optimize utilization of marker-assisted breeding (MAB) and knowledge of trait values.

RosBREED Breeding Trainees Training at a statistical workshop (June 2010)





Evaluation of Extension Impact Michael Coe

- 1. Breeders & Allied Scientists (2010: baseline survey and interviews)
- 2. Producers/Processors, Marketing Groups, Trade Organizations (2010: baseline survey)
- 3. Graduate Students (baseline survey at beginning of traineeship)

Enabling marker-assisted breeding in Rosaceae



MAB pipeline proof of concept in sweet cherry

Marker-trait validation

Marker-trait associations

MAB

Fruit size

Fruit color

Self-compatibility

MAE


Allele mining

Parental selection

Cherry Breeding Program



How will RosBREED help me breed cherry leaf spot resistant tart cherry cultivars?




RosBREED will generate knowledge of the genetic control of fruit size & enable the use of this information to more efficiently achieve the desired fruit size while retaining the CLS resistance.

Sweet cherry cultivar




Wild forest cherry

We are identifying the genetic changes that are responsible for this increase in fruit size.



In sweet cherry, 3 linkage group regions have been identified that contain genes that control fruit size.



Marker-Assisted Breeding Outcomes

Four year project outcomes

Increased genetic knowledge flow across taxonomic boundaries in the Rosaceae

Implementation of MAB by breeding programs

Increased gain in fruit quality per breeding cycle due to improved parent selection and improved mean progeny value More rapid availability of new cultivars with genetically superior fruit quality Improved profitability and sustainability of US rosaceous fruit, nut, and floral crops with increased consumption and enjoyment

Long-term outcomes

RosBREED Advisory Panels

SCIENTIFIC Bert Abbott Pere Arús Joe Arvai Fred Bliss Robin Buell Lailiang Cheng Sue Gardiner Carolyn Ross Phil Simon

INDUSTRY

Jim Allen Phil Baugher Henry Bierlink Fred Cook Chalmers Carr III **Robert Curtis** Bill Dodd Chrislyn Particka Bruce Grim **Rick Harrison** Philip Korson **Kevin Moffitt** Tom Stokes Gary van Sickle

EXTENSION

Jessica Goldberger Peter Hirst David Karp Mercy Olmstead Ron Perry Clark Seavert Jamie Sherman Brian Sparks Chris Watkins







<u>MSU</u> Amy Iezzoni (PD) Jim Hancock Dechun Wang Cho Weebadde

<u>WSU</u> Cameron Peace Dorrie Main Kate Evans Karina Gallardo Raymond Jussaume Vicki McCracken Nnadozie Oraguzie Mykel Taylor

Specialty Crop Research Initiative RosBREED Co-PDs

> <u>Univ. of Minnesota</u> Jim Luby Chengyan Yue

<u>Oregon State Univ.</u> Alexandra Stone

<u>USDA</u> Nahla Bassil Gennaro Fazio Chad Finn

<u>Texas A&M</u> Dave Byrne

<u>Plant Research Intl, Netherlands</u> Eric van de Weg Marco Bink <u>Cornell</u> Susan Brown Kenong Xu

<u>Clemson</u> Ksenija Gasic Gregory Reighard

<u>Univ. of Arkansas</u> John Clark

<u>Univ. of CA-Davis</u> Tom Gradziel Carlos Crisosto

<u>Univ. of New Hamp.</u> Tom Davis

ROSBREED Enabling marker-assisted breeding in Rosaceae

www.rosbreed.org

International Project Participants



Jasper Rees



Dan Sargent



INRA (Bordeaux, Angiers, Avignon)



Herman Silva & Lee Meisel





David Chagné



Ignazio Verde







USDA

United States Department of Agriculture National Institute of Food and Agriculture This project is supported by the Specialty Crops Research Initiative of USDA's National Institute of Food and Agriculture

RosBREED

A special Thank You to Dr. Cameron Peace Joan Schneider





